


[Web](#) [Images](#) [Maps](#) [News](#) [Video](#) [Gmail](#) [more](#) ▼



[Sign in](#)

content keys for decrypting, setting codes for selection list, property lists

Search

[Advanced Search](#)

[Preferences](#)



Web

Results **1 - 10** of about **19,800** for **content keys for decrypting, setting codes for selection list, property lists**. (0.44 seconds)

1. SharePoint and Active Directory Rights Management Services (AD RMS)

The user can now **decrypt** the **content key** with his or her private RAC **key** and site collection regardless of SharePoint permissions and AD RMS **settings**. Now, users with only View **List** Item permissions get AD RMS read ... **decryption** of documents while retaining indexing and **property** promotion capabilities. ...

technet.microsoft.com/en-us/magazine/2009.04.insidesharepoint.aspx - 43k

- [Cached](#) - [Similar pages](#)

2. Choosing the **decryption** methods for the consumer binding

Important: You can **set** these digest method and OAEPParams **properties** on the ... The **key** encryption algorithm that you **select** for the consumer side must match ... This algorithm appears in the **list** of supported **key** transport algorithms when ... provides sample WSS API **code** for **decrypting** the body **content** as well as ...

publib.boulder.ibm.com/infocenter/wasinfo/v7r0/topic/com.ibm.websphere.express.../twbs_confwssdecryptalgorithms.html - 21k - [Cached](#) - [Similar pages](#)

3. SECURE **CONTENT KEY** DISTRIBUTION USING MULTIPLE DISTINCT METHODS ...

More specific examples (a nonexhaustive **list**) of the computer-readable medium would ... Known **set** top boxes include decryptors to **decrypt** the encrypted instance. ... As used herein, "**key**," "control word," and "**code** word" can be used [0091]In one example embodiment, a selector may **select** packets for which CAS ...

www.faqs.org/patents/app/20090028327 - 91k - [Cached](#) - [Similar pages](#)

4. UltraEdit Text Editor, HTML Editor, HEX Editor, PHP Editor ...

List of files on drive (open selected files, file **properties**) ... **keys** with option for alphanumeric or numeric sort; Support for **setting code** page and locale ... Allows **selection** of text between caret and find target when shift **key** is of the same **content** that other software may associate with the file format. ...

www.ultraedit.com/products/ultraedit/ultraedit_features.html - 54k

- [Cached](#) - [Similar pages](#)

5. [AACS encryption **key** controversy](#) - Wikipedia, the free encyclopedia

[17] BackupHDDVD can be used to **decrypt** AACS protected **content** once one knows the encryption **key**. attacking the companies that are legitimately defending their **property**, "It's No Secret: **Code** Stirs Up a Web Storm: Lawyers question whether Web ... "HD DVD **key** and the spam blacklist". WikiEN-L mailing **list**. ...

en.wikipedia.org/wiki/AACS_encryption_key_controversy - 136k

- [Cached](#) - [Similar pages](#)

6. [CodeProject: Central **Key** Management. Free source **code** and ...](#)

Mar 8, 2006 ... Under the details, copy the 'Thumbnail' **property** for the server ... Config file, replacing the current **setting** shown here: ... **Select** the client certificate to use. ... The second instance can retrieve the session **key** and **decrypt** the data. ... A **list** of licenses authors might use can be found here ...

www.codeproject.com/KB/XML/CentralKeyManager.aspx - 73k

- [Cached](#) - [Similar pages](#)

7. [Oracle XML Security](#)

If you are installing Oracle XML Security on Windows, **set** your CLASSPATH as follows:. In your Windows Control Panel, ... In the System **Properties** dialog, **select** the Advanced tab. Document; // Get **list** of all XML EncryptedData elements in the document. ... Example 8-13 Using XEEncryptedKey for **Key Decryption** ...

download.oracle.com/docs/cd/B31017_01/security.1013/b25372/xmlsecurity.htm - 42k

- [Cached](#) - [Similar pages](#)

8. [\[Paper\] A Licensing Architecture for Distribution of Copyright ...](#)

In other words, DRM can be defined as a **set** of technologies that ... It is known that hackers have already reverse- engineered the DRM protecting **code** on DVDs. In

the other words, attackers cannot get any **content key** by attacking either **key**

Decryption of encrypted **content** Playback of **decrypted content** 4. ...

www.actapress.com/PDFViewer.aspx?paperId=13207 - [Similar pages](#)

by SO Hwang - [Related articles](#) - [All 3 versions](#)

9. [\[PDF\] DReaM-CAS Intellectual **Property** Review by Sun Microsystems](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Dec 8, 2006 ... **keys** to unlock the **content keys**. The EMM format from MPEG-2 TS is optionally used to The **key** word **list** was used along with selected International Patent Also, these tests will ensure that **decrypted** data is never exposed. Once these tests are completed, the DReaM implementation **code** will be ...

www.openmediacommons.org/collateral/DReaM-CAS_IPR_White_Paper_v1.0.pdf

- [Similar pages](#)

10. [\(WO/2005/103891\) METHOD FOR UPDATING DATA IN ACCORDANCE WITH ...](#)

The **content key** (not shown) is a symmetric **key** typically created by the rights ... application 204 may then use the private **key** to **decrypt** the **content key**, ... **list**, the administrator may **select** an option for the **properties** of the ... of the **content** is programmatically achieved by **content** filtering **code** 502 which ...

[www.wipo.int/pctdb/en/wo.jsp?IA=WO2005103891&wo=2005103891&](http://www.wipo.int/pctdb/en/wo.jsp?IA=WO2005103891&wo=2005103891&DISPLAY=DESC)

DISPLAY=DESC - 44k - [Cached](#) - [Similar pages](#)

Google

1 2 3 4 5 6 7 8 9 10 [Next](#)

content keys for decrypting, setting codes for selection list, property lists

Search

[Search within results](#) - [Language Tools](#) - [Search Tips](#) - [Dissatisfied? Help us improve](#) - [Try Google Experimental](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)